UNITED STATES GOVERNMENT

Memorandum

то :	Chief, Records Administration Branch, DCI DATE: 16 April 1973
FROM :	DCS Records Management Officer
SUBJECT:	Request for Continuing Authority for Records Center to Destroy DCS Hard Copy Files Subsequent to Microfilming
	1. The Domestic Contact Service is currently engaged in a program to microfilm its
	and upon written certification by the DCS Records Management Officer that the microfilm is suitable in all respects.
r	
L	
	APPROVED: Necords Administration Branch
	ta. Parado Ruministration Branch



25X

25X

25X

25X

Approved For Release 2005/1721: CIA RDP78-00487A000400020004-4

Buy U.S. Savings Bonds Regularly on the Payroll Savings Plan

Approved For Release 2005/11/21 : CIA-RDP78-00487A000400020004-4

EM NO.	FILES IDENTIFICATION	VOLUME	DISPOSITION INSTRU	CTIONS .	21
	Approved For Release 2005/11/21 : CI	ECRET-004	187A000400020004-4	A .	EP 1970
₹.	b. "B" File - Consists of material on individuals and organizations who do not meet the criteria for inclusion in the Terminal Digit File but who nevertheless are of interest to DCS. This file consists primarily of miscellaneous related correspondence and information sheets. Filed in chronological order by year and Julian Date that		Temporary. Destroy after Annually purge and destroy the file which becomes ten	the segr	ment of
	number is assigned. (1965 to date)				
	•				
		SECRET			
1	Approved For Release 2005/11/21 : CIA	DDD70 00	107.1.000.100.000.1.1		

ITEM NO.			77
TIEM NO.	FILES IDENTIFICATION Approved For Release 2005/11/21 : CIA	CEPPET	DISPOSITION INSTRUCT, IONS
	Approved For Release 2005/11/21 : CIA-	14131448-00	#87A000400020004-4 SEP 1970
36.		22	Temporary. Hold in current files area for LEGI five years, transfer to Records Center and destroy seven years thereafter.
		b	
	d. Inactive Material File	. ·	
i -	d. Inactive material File		
	Consists of miscellaneous documents being held for file in jackets currently in Records Center. Material is filed in the applicable jackets as they are recalled to Headquarters. Arranged numerically by assigned number. (1947 to date)	11	Temporary. Destroy when related source jacket is destroyed; if jacket recalled from Record Center prior to destruction, purge material from file and place in jacket.
	e. Source Lead File		
	A forerunner of the "B" File (see b. above) except for a difference in the method of number assignment. Input discontinued in 1965 in favor of the "B" File. (1948 to 1965)	28	Temporary. Destroy entire file five years after date input discontinued.
	f. Inactive "97" File		
	Consists of material on individuals made inactive which was retained in Headquarters because of the relatively low volume of material in each jacket.	45	Temporary. Destroy entire file seven years after input discontinued.
	g. "D" File		
-	Individuals and organizations on which documentation is retained by Services/Control but who have never been (as indicated by the documents) contacted and which do not meet the criteria for any of the other file series.	3	Temporary. Destroy after five years. Purge annually and destroy the segment of the file that becomes five years old.
		SECRET	

ITEM NO.	FILES IDENTIFICATION	COUNT	DISPOSITION INSTRUCTIONS 23
1	Approved For Release 2005/11/21 : CIA	RDP78-00	487A 00 040 6 020004-4
37√			SEP 1970
		8 0	Temporary. Destroy after 11 years. Transfer to RecCtr 1 yr after file closed Destroy Seven years after deposit in Records Center. Excluded from this item: A representative sampling of the following type cases:
		.1	operational support, an 5 A sampling will be taken 25 before retirement to the Records Center. Temporary. Destroy after a case has been established or an IBM card prepared.
		1	Destroy when no longer needed for reference.
381-			
			Permanent. Archival Material
		21	
39 √	PROCESS SHEET FILE		
	Consists of the number five copy of the process sheet (Form 25) for all DCS reports. Filed by report number. (current)	6	Temporary. Destroy semi-annually when the machine listing of reports and related information is received.
	Approved For Release 2005/11/21 : GIA	SECRET	487000400020004 4

proved For Release 2005/11/21 : GIA-RD\$78-00487Ā000400020004-4 Talked to about the Tor 11 year retention for the Contact Case Files - Item 37h archives Jot NN 163-1 dated any 1962 gives us authority to destroy 11 yes after case is closed. The mothematical equation as to how long at he can and how long at Contacts is dependent upon space and administrative reeds of Contact Div. amendment since Contacts well retire the files one year after case is closed. RD Reid. change made & egy

roved For Release 2005 71/21 : CIA-RDP78-00487A000400020004-4 11/70 RS

ITEM NO.	FILES IDENTIFICATION	VOLUME	DISPOSITION INSTRUCTIONS 24
Ī	Approved For Release 2005/11/21 : CIA-	SECRET	87A000400020004-4
40-	FIELD OFFICE LOG BOOKS. File discontinued.		SEP 1970
41 /	CASE CARD FILE		_
	Consists of DCS Case Ledger Cards (Form 2610) prepared for each case established by DCS. Contains information on the originator of the case, requirements, activated, summary,	10	Temporary. Destroy when no longer needed for reference purposes.
	and sources utilized. Used to prepare machine cards and for reference purposes within DCS. Filed by case number. (1947 to date)	-	
42 /	LOCATOR FILES		
	a. Flexoline - Alphabetical listings of all individuals or organizations on whom DCS has retained information in the source files. Listing also contains the source number and indicates whether source is active or inactive. Used as a central reference, locator, and identifier file. (1947 to date)	84	Permanent. Retain all strips with "A" number
	b. Case Cross Reference File - Consists of 3x5 cards which serve as cross references to the cases by subject. Information recorded on these cards include the subject and area, case number, case officer and specific sources, if any. Filed alphabetically. (1948 to date)	12	Temporary. Destroy when obsolete or no longer needed for reference purposes.
31,©	CARD INDEX FILE Consists of a numerical 3x5 cerd file which is set up when branch is notified to cancel a number previously assigned. Cancellations occur through mergers, duplications or when name spellings are changed. Used for reference purposes. current	•5	Temporary. Destroy when no longer needed for reference purposes. (see DCS memo 29 Oct 70)
		SECRET	7
BM NO.	Approved For Release 2005/11/21 : CIA	RDP78 00	187/\000400020004 4

ITEM NO.	FILES IDENTIFICATION	VOLUME	DISPOSITION INSTRUCTIONS
	Approved For Release 2005/11/21 : CIA	RDP78-00	487A000400020004-4
43-	SOURCE INFORMATION SHEETS. File discontinued.		SEP 197
7171	INDEX TO INFORMATION REPORTS		
	Consists of machine listings of:		Ş
	a. DCS processed for specific periods of time. (1947 to date)	12	Permanent. Retain in current work area for reference and record.
	b. DCS Cases in an open status and cases closed for specific periods of time. (current)	1	Temporary. Destroy when an updated listing is received for each month.
139√	CANCELLATION CARD FILE		
	Consists of a numerical card file which records the cancellation of one source file and indicates the new file to which the material is assigned. Used for reference purposes. (1948 to date)	3	Temporary. Destroy when no longer needed.
116			
		14	Temporary. Maintain a six months level; destroy when six months old.
L	,		
- 1	Approved For Release 2005/11/21 : CIA		

TEM NO.	FILES IDENTIFICATION	VOLUME	disposition instructions 26
1	Approved For Release 2005/11/21 : CIA	-RDP78-00	487A000400020004-4
.120√	INACTIVE JACKETS LISTINGS		
•	a. Inactive Source Jacket Listings - Consists of machine listings of source jackets which are in retirement at Records Center. Also included is information on the box and job number under which each jacket was retired, the type of retirement, and pertinent remarks entered by Control personnel. (current)	2	Temporary. Destroy when replaced and superseded by the next annual listing.
	b. Inactive Case Listing - Consists of machine listings of cases which are in retirement at Records Center. Also included is the box and job number under which each jacket was retired and pertinent remarks entered by Control personnel. (current)	1	Temporary. Destroy when replaced and superseded by the next annual listing.
	c. Transactions/Shelf Listings - Lists consist of changes (additions and deletions) to the master file of Contact and Source, and Case files (Items 36 and 37b) on deposit in the Records Center. This is supplemental to and serves as a means of confirming the accuracy of Items 120a and b above.	.3	Temporary. Destroy when obsolete or no longer needed for reference purposes.
31 🗸	LIBRARY MATERIAL		
	Consists of registers, directories, atlases, and other publications which are used for miscellaneous reference purposes by DCS personnel.	25	Temporary. Return to CIA Library when no longer needed.
1	Approved For Release 2005/11/21 : CIA	DDD79 00	4874000400020004 4
	Approved For Release 2003/11/21: CIA	FRDF / 0-UL	1401 A000400020004-4

of all incoming and outgoing memoranda designated as Sensitive by the originator. A cross reference sheet for each document is prepared for the source jackets to which the document relates. Filed in numerical sequence by assigned Sensitive Document Number. (1965 to date) b. Sensitive Case File - Consists of closed cases which contain Sensitive documents. Filed Source File (Item 36) folder at the time it is retired to the Records Center. it is retired to the Records Center. Temporary. Combine with non-Sensitive closed cases at the time it is retired	TEM NO.	FILES IDENTIFICATION	VOLUME	disposition instructions 26a
These files consist of Sensitive memoranda and cases which are segregated from their related files as a security control for protection of information contained therein. a. Sensitive Memoranda File - Consists of copies of all incoming and outgoing memoranda designated as Sensitive by the originator. A cross reference sheet for each document is prepared for the source jackets to which the document relates. Filed in numerical sequence by assigned Sensitive Document Number. b. Sensitive Case File - Consists of closed cases which contain Sensitive documents. Filed in numerical sequence by case number. Temporary. Integrate into the related Source File (Item 36) folder at the time it is retired to the Records Center. Temporary. Combine with non-Sensitive closed cases at the time it is retired to the Records Center (see Item 37b, page		Approved For Release 2005/11/21 : CIA-	RDP78-00	487A000400020004-4
cases which are segregated from their related files as a security control for protection of information contained therein. a. Sensitive Memoranda File - Consists of copies of all incoming and outgoing memoranda designated as Sensitive by the originator. A cross reference sheet for each document is prepared for the source jackets to which the document relates. Filed in numerical sequence by assigned Sensitive Document Number. (1965 to date) b. Sensitive Case File - Consists of closed cases which contain Sensitive documents. Filed in numerical sequence by case number. 6 Temporary. Integrate into the related Source File (Item 36) folder at the time it is retired to the Records Center. 7 Temporary. Combine with non-Sensitive closed cases at the time it is retired to the Records Center (see Item 37b, page	i17√+	SENSITIVE DOCUMENTS FILES		
of all incoming and outgoing memoranda designated as Sensitive by the originator. A cross reference sheet for each document is prepared for the source jackets to which the document relates. Filed in numerical sequence by assigned Sensitive Document Number. (1965 to date) b. Sensitive Case File - Consists of closed cases which contain Sensitive documents. Filed in numerical sequence by case number. Source File (Item 36) folder at the time it is retired to the Records Center. Temporary. Combine with non-Sensitive closed cases at the time it is retired to the Records Center.		cases which are segregated from their related files as a security control for protection of		
cases which contain Sensitive documents. Filed closed cases at the time it is retired in numerical sequence by case number. the Records Center (see Item 37b, page		of all incoming and outgoing memoranda designated as Sensitive by the originator. A cross reference sheet for each document is prepared for the source jackets to which the document relates. Filed in numerical sequence by assigned Sensitive Document	1	T Temporary. Integrate into the related Source File (Item 36) folder at the time it is retired to the Records Center.
		cases which contain Sensitive documents. Filed in numerical sequence by case number.	6	Temporary. Combine with non-Sensitive closed cases at the time it is retired to the Records Center (see Item 37b, page 23).
			-	
Approved For Release 2005/11/21: CIA-RDP78-00487A000400020004-4 FORM NO. 139a USE PREVIOUS 1 JAN 56 RECORDS CONTROL SCHEDULE - CONTINUATION SHEET			RDP78-00	487A000400020004-4

TEM NO	FILES IDENTIFICATION	CEPBET	DISPOSITION INSTRUCTIONS 26
120	Approved For Release 2005/11/21 : CIA- INACTIVE JACKETS LISTINGS	CLUBUI D	487A000400020004-4 SEP 1970
	a. Inactive Source Jacket Listings - Consists of machine listings of source jackets which are in retirement at Records Center. Also included is information on the box and job number under which each jacket was retired, the type of retirement, and pertinent remarks entered by Control personnel. (current)	2	Temporary. Destroy when replaced and superseded by the next annual listing.
	b. Inactive Case Listing - Consists of machine listings of cases which are in retirement at Records Center. Also included is the box and job number under which each jacket was retired and pertinent remarks entered by Control personnel. (current)	1	Temporary. Destroy when replaced and superseded by the next annual listing.
31	LIBRARY MATERIAL		
	Consists of registers, directories, atlases, and other publications which are used for miscellaneous reference purposes by DCS personnel	25	Temporary. Return to CIA Library when no no longer needed.
117	SENSITIVE DOCUMENTS FILES (Transferred from a These files consist of Sensitive memoranda and cases which are segregated from their related files as a security control for protection of information contained therein.	nolezaio	School)
	a. Sensitive Memoranda File - Consists of copies of all incoming and outgoing memoranda designated as Sensitive by the originator. A cross reference sheet for each document is prepared for the source jackets to which the document relates. Filed in numerical sequence by assigned Sensitive Document Number. (1965 to date)	1	Temporary. Integrate into the related Source File (Item 36) folder at the time it is retired to the Records Center.
	b. Sensitive Case File - Consists of closed cases which contain Sensitive documents. Filed in numerical sequence by case number. (1965 to date)	6	Temporary. Combine with non-Sensitive closed cases at the time it is retired to the Records Center (see Item 37b, page 23).
	Approved For Release 2005/11/21 : CIA	REPRETO	487A000400020004-4

This proje done over.

Sigerseded by 26 and 262,

11/7.

Q. D.

avolues

	RECORDS CONTROL SCHEDULE	SEURET	875005400020004-25.041-4€70 27
FFICE.	DIVISION, BRANCH		SIGNATURE SEP 1970
DOME	ESTIC CONTACT SERVICE/SERVICES DIVISION/Message Cent	er	TITLE DATE
TEM 10.	FILES IDENTIFICATION (TITLE, DESCRIPTION, ARRANGEMENT, AND INCLUSIVE DATES)	VOLUME (CUBIC FT.)	DISPOSITION INSTRUCTIONS
45 × :	DCS SUBJECT FILE		
- 1	These are copies of selected correspondence received and sent by DCS. Serves as a central subject reference file for the Office. Filed according to Agency Subject Manual.	6	Permanent. Disposal not authorized. Cut off at the end of each calendar year; retair for two years and transfer to the Records Center.
	(1964 to date)	1.	*
46 1	CHRONOLOGICAL READING FILE		·
-	Extra copies of non-sensitive correspondence received or dispatched by DCS. Filed chronologically and maintained for reference. (current)	16	Temporary. Destroy after one year. Cut of file at the end of each year, held in currentile area and destroy one year later.
47 /	COMMUNICATIONS CONTROL RECORDS		
Ţ	a. Couriers Classified Mail Receipt (Form 240) - Used to record the dispatch of all classified material to addressees within the Agency. (current)	14	Temporary. Destroy after one year. Maintage a 12 month level, purging the file monthly.
1 V	b. Message Center Routine Slip (Form 46) - Used for locating and identifying documents routed within DCS. Filed organizationally by originator and numerically thereunder. (1967 to date)	λ 4 · ·	Temporary. Destroy after three years. Cut off file at the end of each year; retain in current files area for three years and destr
r	c. Reports Receipt Log (Form 898a) - Used to record the receipt of printed reports from Printing Services Division. (current)	•5	Temporary. Destroy after six months.

	FILES IDENTIFICATION	VOLUME	DISPOSITION INSTRUCTIONS 28
	Approved For Release 2005/11/21 : CIA	SEBYE-00	487A000400020004-4
	d. Pouch Manifests (Form 255b) - treed to record the content, transmittal and receipt pouches to and from DCS	13	Temporary. Destroy after one year. Cut off file at end of each year; retain in current file area for one year and destroy.
	e. Document Receipts (Form 615) - Copies of receipts for SECRET documents transmitted outside of the Agency. (1968 to date)	2	Temporary. Destroy after two years. Cut off file at the end of each year; hold in current file area for two years and destroy.
	f. Document Receipt for NIPS (Notice of Intelligence Potential) - Receipts for NIPS transmitted to elected offices within and outside of the Agency. (1968 to date)	3	Temporary. Destroy after two years. Cut off file at the end of each year; hold in current file area for two years and destroy.
	g. Document Control Log (Form 311) - Used to record the receipt of selected incoming material. (current)		Temporary. Destroy after one year. Cut off file at the end of each year; retain in current file area for one year and destroy.
48 -	REFERENCE PUBLICATIONS FILE - File discontinued.		
24./	DISTRIBUTION FILE		
	This file consists of 5x8 cards on publications regularly received in DCS for distribution to headquarters components and DCS The file reflects information such as publication titles, routing instructions, records of issues received, etc. Maintained for reference and convenience of routing. File alphabetically by publication title. (current)		Temporary. Destroy after one year. Cut offile at end of each calendar year; retain is current files area for one year and then destroy.
		SECRET	

EM NO.	FILES IDENTIFICATION Approved For Release 2005/11/21 : CIA	DKHTME00	487A000400020004-4	29
	Approved For Release 2003/11/21 . CIA	SECHET	407 A00040 0020004-4	•
25.	REFERENCE PUBLICATIONS			
	a. Extra copies of			
1	File dia antinued			
	3			
	b. Copies of CCI Daily and Weekly publications which have been routed throughout DCS for in-	.1	Temporary. Destroy after one month.; Maintain one month level; destroy pre-	
	formation and returned for disposition and re- ference purposes. (current)		vicus menth supply.	
	terence purposes. (eurency			
	£ _K			
		,		
1				
		·		
į				
	A 15 Pales - 0005/44/04 Ola	SECRET	4074.0004000004.4	
I NO 1	Approved For Release 2005/11/21 : CIA 39a USE FREVIOUS RECORDS CONTROL SCHEDULE .		487A000400020004-4	

RECORDS VON FOUR RELEASE 2005/11/21: CIA-RD 778-00 875000 4000 2000 451.041-68						
	VECOMOS CONTROL SCHEDULE	EURE [CONCURRENCE			
FICE.	DIVISION, BRANCH		SIGNATURE			
DOM	ESTIC CONTACT SERVICE/SERVICES DIVISION/Teletype Sec	ction	TITLE DATE			
TEM NO.	FILES, IDENTIFICATION (TITLE, DESCRIPTION, ABRANGEMENT, AND INCLUSIVE DATES)	VOLUME	. DISPOSITION INSTRUCTIONS			
9./	CHRONOLOGICAL TELETYPE FILE		,			
	Consists of printed telepype copies of in- coming messages and Form 172 (originator) copies of outgoing messages. Printed teletype copies of		Temporary. Maintain a two year level. Destroy when two years old.			
	these messages are also filed in the source, case administrative and subject files to which they relate. File is maintained for reference and					
	verification. Filed chronologically and numerically. (current)		•			
0.*	RECORDS OF ACCOUNTABILITY (current)	.1	т			
	a. Form lll - Transfer in Report - Used as a receipt for cryptographic material transferred to the office, which is accountable for the material until a destruction of transfer out report has been submitted. Filed chronologically	•	Temporary. Destroy after the material is transferred or destroyed or after the material is listed on a semi-annual inventoreport, whichever is sooner.			
	b. Form 111 - Destruction Report and Transfer Out Report - Prepared as necessary to report the destruction of or transfer of cryptographic material to O/Commo. Filed chronologically.		Temporary. Destroy each form after a semi-annual inventory relieves the office of accountability for the items listed thereon.			
	c. Semi-Annual Inventory Report - Issued semi- annually as a machine listing by O/Commo showing cryptographic material for which the station is accountable. Filed chronologically.		Temporary. Destroy after the succeeding inventory has been received, satisfactorily reviewed, and, if necessary, adjusted.			
	Approved For Release 2005/11/21:CIA-	EET	87A000400020004-4			

ITEM NO.	FILES IDENTIFICATION	VOLUME	DISPOSITION INSTRUCTIONS	3/
	Approved For Release 2005/11/21 : CIA		487A000400020004-4	
51./	STATISTICAL REPORTS (1965 to date)	Stunt!		
	a. Daily Report - Prepared from message numbering log indicating the breakdown of messages sent via the Langley Signal Center. A daily tabulation is made of the number of messages and groups sent and received for each addressee over this circuit. Used for compiling a mon-	.1	Temporary. Destroy after completion of each monthly statistical report.	
	thly report.		* .	
	b. Months port - Prepared for the O/Commo showing the volume of messages and groups for each circuity. A more detailed version of the report is prepared and retained in the operating office.		Temporary. Destroy after three years.	
1 1	office.		,	
1 1				
52.	MESSAGE NUMBERING LOGS (1965 to date)			
	a. Check Number Logs - Forms 816 and 817 used to record the Incoming and Outgoing messages number assigned to check numbers for messages sent and received from each agency station. Filed numerically and chronologically.	.5	Temporary. Destroy after two years.	
	b. Station Serial Number Logs - Form 854 used to record the station serial number, date, check number, and group count for each message sent and received over each circuit. Filed chrono- logically.		Temporary. Destroy after one year.	
	c. Outgoing Message Number Log - Form 1847 used to record the assignment of outgoing message numbers. Indicates message number, check number addressee, classification, time transmitted and significant remarks. Filed numerically and chronologically.	1	Temporary. Destroy after two years.	
		SECRET		
	Approved For Release 2005/11/21 : CIA	RDP78-00	487A000400020004 4	

ITEM NO.	FILES IDENTIFICATION	VOLUME	DISPOSITION INSTRUCTIONS 32
	Approved For Release 2005/11/21 : CIA	(TIPE2-90)	487A000400020004-4
		PEOUE I	
53.	REFERENCE MATERIAL		
	Consists of miscellaneous emptographic and	2	Memberary. Destroy or return to Commo
1	non-cryptographic deguments which prescribe the	-	as directed when superseded by other
1	procedures and regulations used in the operation	1 1	publications or when no longer useful.
	of the office and equipment, and technical		Ţ-1
	publications which describe the technical fun-		
į	ctions and characteristics of the equipment		
	used.		• • • • • • • • • • • • • • • • • • •
}	· · · · · · · · · · · · · · · · · · ·	1	*-
		1 1	
		1	
	A pr		
		1	
1			
1			
i			
- 1		1	
		1	
1			
- }			
-			
1			
1		050=	
}		SECRET	
- 1	Approved For Release 2005/11/21 : CIA	RDP78-004	\$87A000400020004-4